

Package ‘VBel’

October 26, 2025

Type Package

Title Variational Bayes for Fast and Accurate Empirical Likelihood Inference

Version 1.1.6

Description Computes the Gaussian variational approximation of the Bayesian empirical likelihood posterior. This is an implementation of the function found in Yu, W., & Bondell, H. D. (2023) <[doi:10.1080/01621459.2023.2169701](https://doi.org/10.1080/01621459.2023.2169701)>.

License GPL (>= 3)

Imports Rcpp (>= 1.0.12), stats

LinkingTo Rcpp, RcppEigen

Encoding UTF-8

RoxygenNote 7.3.3

URL <https://github.com/jlimrasc/VBel>

BugReports <https://github.com/jlimrasc/VBel/issues>

Suggests mvtnorm, testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation yes

Author Weichang Yu [aut] (ORCID: <<https://orcid.org/0000-0002-0399-3779>>),
Jeremy Lim [cre, aut]

Maintainer Jeremy Lim <jeremy.lim@unimelb.edu.au>

Repository CRAN

Date/Publication 2025-10-26 18:40:09 UTC

Contents

VBel-package	2
compute_AEL	2
compute_GVA	4
diagnostic_plot	7

Index	9
--------------	----------

 VBel-package

Variational Bayes for Fast and Accurate Empirical Likelihood Inference

Description

Computes the Gaussian variational approximation of the Bayesian empirical likelihood posterior. This is an implementation of the function found in Yu, W., & Bondell, H. D. (2023) <doi:10.1080/01621459.2023.2169701>.

Author(s)

Weichang Yu [aut] (ORCID: <https://orcid.org/0000-0002-0399-3779>), Jeremy Lim [cre, aut]

Maintainer: Jeremy Lim <jeremy.lim@unimelb.edu.au>

References

References: Yu, W., & Bondell, H. D. (2023), “Variational Bayes for Fast and Accurate Empirical Likelihood Inference”, *Journal of the American Statistical Association*, 119(546), 1089–1101. Page 3 doi:10.1080/01621459.2023.2169701

See Also

[compute_AEL\(\)](#) for C++ computation of AEL

[compute_GVA\(\)](#) for C++ computation of GVA

[diagnostic_plot\(\)](#) for verifying convergence of computed GVA data

Examples

```
#ansGVARcppPure <- compute_GVA(mu, C_0, h, delthh, delth_logpi, z, lam0, rho,
#elip, a, SGD_iters, AEL_iters)
#diagnostic_plot(ansGVARcppPure)
```

 compute_AEL

Compute the Adjusted Empirical Likelihood

Description

Evaluates the Log-Adjusted Empirical Likelihood (AEL) (Chen, Variyath, and Abraham 2008) for a given data set, moment conditions and parameter values. The AEL function is formulated as

$$\log \text{AEL}(\boldsymbol{\theta}) = \max_{\mathbf{w}'} \sum_{i=1}^{n+1} \log(w'_i),$$

where \mathbf{z}_{n+1} is a pseudo-observation that satisfies

$$h(\mathbf{z}_{n+1}, \boldsymbol{\theta}) = -\frac{a_n}{n} \sum_{i=1}^n h(\mathbf{z}_i, \boldsymbol{\theta})$$

for some constant $a_n > 0$ that may (but not necessarily) depend on n , and $\mathbf{w}' = (w'_1, \dots, w'_n, w'_{n+1})$ is a vector of probability weights that define a discrete distribution on $\{\mathbf{z}_1, \dots, \mathbf{z}_n, \mathbf{z}_{n+1}\}$, and are subject to the constraints

$$\sum_{i=1}^{n+1} w'_i h(\mathbf{z}_i, \boldsymbol{\theta}) = 0, \quad \text{and} \quad \sum_{i=1}^{n+1} w'_i = 1.$$

Here, the maximizer $\tilde{\mathbf{w}}$ is of the form

$$\tilde{w}_i = \frac{1}{n+1} \frac{1}{1 + \lambda_{\text{AEL}}^\top h(\mathbf{z}_i, \boldsymbol{\theta})},$$

where λ_{AEL} satisfies the constraints

$$\frac{1}{n+1} \sum_{i=1}^{n+1} \frac{h(\mathbf{z}_i, \boldsymbol{\theta})}{1 + \lambda_{\text{AEL}}^\top h(\mathbf{z}_i, \boldsymbol{\theta})} = 0, \quad \text{and} \quad \frac{1}{n+1} \sum_{i=1}^{n+1} \frac{1}{1 + \lambda_{\text{AEL}}^\top h(\mathbf{z}_i, \boldsymbol{\theta})} = 1.$$

Usage

```
compute_AEL(th, h, lam0, a, z, iters = 500)
```

Arguments

th	p x 1 parameter vector to evaluate the AEL function at
h	User-defined moment-condition function. Note that output should be an n x K matrix where K is necessarily $\geq p$. Input format for h should be (zi, th) where zi corresponds to the ith observation's data and th is the parameter vector
lam0	Initial vector for Lagrange multiplier lambda
a	Positive scalar adjustment constant
z	n x d data matrix. Note that $\{z_i\}_{i=1}^n$ is a sequence of d-dimensional data vectors
iters	Number of iterations using Newton-Raphson for estimation of lambda. Default: 500

Details

Note that theta (th) is a p-dimensional vector, h is a K-dimensional vector and $K \geq p$

Value

A numeric value for the Adjusted Empirical Likelihood function computed evaluated at a given theta value

Author(s)

Weichang Yu, Jeremy Lim

References

Chen, J., Variyath, A. M., and Abraham, B. (2008), “Adjusted Empirical Likelihood and its Properties”, *Journal of Computational and Graphical Statistics*, 17, 426–443. Pages 2,3,4,5,6,7 [doi:10.1198/106186008X321068](https://doi.org/10.1198/106186008X321068)

Examples

```
# Generating 30 data points from a simple linear-regression model
set.seed(1)
x   <- runif(30, min = -5, max = 5)
vari <- rnorm(30, mean = 0, sd = 1)
y   <- 0.75 - x + vari
z   <- cbind(x, y)

lam0 <- matrix(c(0,0), nrow = 2)
th   <- matrix(c(0.8277, -1.0050), nrow = 2)

# Specify AEL constant and Newton-Rhapson iteration
a     <- 0.00001
iters <- 10

# Specify moment condition functions for linear regression
h <- function(zi, th) {
  xi   <- zi[1]
  yi   <- zi[2]
  h_zith <- c(yi - th[1] - th[2] * xi, xi*(yi - th[1] - th[2] * xi))
  matrix(h_zith, nrow = 2)
}
result <- compute_AEL(th, h, lam0, a, z, iters)
```

compute_GVA

Compute the Full-Covariance Gaussian VB Empirical Likelihood Posterior

Description

Requires a given data set, moment conditions and parameter values and returns a list of the final mean and variance-covariance along with an array of the in-between calculations at each iteration for analysis of convergence

Usage

```
compute_GVA(
  mu0,
  C0,
  h,
  delthh,
  delth_logpi,
  z,
```

```

    lam0,
    rho,
    epsil,
    a,
    SGD_iters = 10000,
    AEL_iters = 500,
    verbosity = 500
)

```

Arguments

mu0	p x 1 initial vector of Gaussian VB mean
C0	p x p initial lower triangular matrix of Gaussian VB Cholesky
h	User-defined moment-condition function. Note that output should be an n x K matrix where K is necessarily $\geq p$. Input format for h should be (zi, th) where zi corresponds to the ith observation's data and th is the parameter vector
delthh	User-defined first-order derivative of moment-condition function. Note that output should be a K x p matrix of h(zi,th) with respect to theta. Input format for h should be (zi, th) where zi corresponds to the ith observation's data and th is the parameter vector
delth_logpi	User-defined first-order derivative of log-prior function. Note that output should be a p x 1 vector. Input format for h should be (th) the parameter vector
z	Data matrix, n x d matrix
lam0	Initial vector for Lagrange multiplier lambda
rho	Scalar numeric between 0 to 1. ADADELTA accumulation constant
epsil	Positive numeric scalar stability constant. Should be specified with a small value
a	Positive scalar adjustment constant. For more accurate calculations, small values are recommended
SGD_iters	Number of Stochastic Gradient-Descent iterations for optimising mu and C. Default: 10,000
AEL_iters	Number of iterations using Newton-Raphson for optimising AEL lambda. Default: 500
verbosity	Integer for how often to print updates on current iteration number. To turn off, set to 0. Default:500

Value

A list containing:

1. mu_FC: VB Posterior Mean at final iteration. A vector of size p x 1
2. C_FC: VB Posterior Variance-Covariance (Cholesky) at final iteration. A lower-triangular matrix of size p x p
3. mu_FC_arr: VB Posterior Mean for each iteration. A matrix of size p x (SGD_iters + 1)
4. C_FC_arr: VB Posterior Variance-Covariance (Cholesky) for each iteration. An array of size p x p x (SGD_iters + 1)

Author(s)

Weichang Yu, Jeremy Lim

References

Yu, W., & Bondell, H. D. (2023). "Variational Bayes for Fast and Accurate Empirical Likelihood Inference", *Journal of the American Statistical Association*, 1–13. doi:[10.1080/01621459.2023.2169701](https://doi.org/10.1080/01621459.2023.2169701)

Examples

```
# -----
# Initialise Inputs
# -----
# Generating 30 data points from a simple linear-regression model
set.seed(1)
x  <- runif(30, min = -5, max = 5)
vari <- rnorm(30, mean = 0, sd = 1)
y  <- 0.75 - x + vari
lam0 <- matrix(c(0,0), nrow = 2)
z  <- cbind(x, y)

# Specify moment condition functions for linear regression and its corresponding derivative
h  <- function(zi, th) {
  xi  <- zi[1]
  yi  <- zi[2]
  h_zith <- c(yi - th[1] - th[2] * xi, xi*(yi - th[1] - th[2] * xi))
  matrix(h_zith, nrow = 2)
}

delthh <- function(zi, th) {
  xi <- zi[1]
  matrix(c(-1, -xi, -xi, -xi^2), 2, 2)
}

# Specify derivative of log prior
delth_logpi <- function(theta) { -0.0001 * mu0 }

# Specify AEL constant and Newton-Rhapson iteration
a  <- 0.00001
AEL_iters <- 10

# Specify initial values for GVA mean vector and Cholesky
reslm <- lm(y ~ x)
mu0  <- matrix(unname(reslm$coefficients),2,1)
C0   <- unname(t(chol(vcov(reslm))))

# Specify details for ADADELTA (Stochastic Gradient-Descent)
SGD_iters <- 50
epsil  <- 10^-5
rho    <- 0.9

# -----
```

```
# Main
# -----
result <-compute_GVA(mu0, C0, h, delthh, delth_logpi, z, lam0,
rho, epsil, a, SGD_iters, AEL_iters)
```

diagnostic_plot *Check the convergence of a data set computed by compute_GVA*

Description

Plots mu and variance in a time series plot to check for convergence of the computed data (i.e. Full-Covariance Gaussian VB Empirical Likelihood Posterior)

Usage

```
diagnostic_plot(dataList, muList, cList)
```

Arguments

dataList	Named list of data generated from compute_GVA
muList	Vector of indices of mu_arr to plot. (default: if data resolution $(p) \leq 3$, use all, else use 1, $\lfloor p/2 \rfloor$ and p)
cList	Matrix of indices of variance to plot, 2xn matrix, each row is (col,row) of variance matrix. (default: if data resolution $(p) \leq 3$, use (1, 1) and (1, p), else use (1, p), $(\lfloor p/2 \rfloor, 1)$ and $(\lfloor p/2 \rfloor, \lfloor p/2 \rfloor + 1)$)

Value

Matrix of variance of C_FC

Examples

```
# -----
# Initialise Inputs
# -----
# Generating 30 data points from a simple linear-regression model
seedNum <- 100
set.seed(seedNum)
n <- 100
p <- 10
lam0 <- matrix(0, nrow = p)
mean <- rep(1, p)
sigStar <- matrix(0.4, p, p) + diag(0.6, p)
z <- rmvnorm::rmvnorm(n = n-1, mean = mean, sigma = sigStar)

# Specify moment condition functions for linear regression and its corresponding derivative
h <- function(zi, th) { matrix(zi - th, nrow = 10) }
delthh <- function(z, th) { -diag(p) }
```

```

# Specify derivative of log prior
delth_logpi <- function(theta) {-0.0001 * theta}

# Specify AEL constant and Newton-Rhapson iteration
AEL_iters <- 5 # Number of iterations for AEL
a          <- 0.00001

# Specify initial values for GVA mean vector and Cholesky
zbar      <- 1/(n-1) * matrix(colSums(z), nrow = p)
mu_0      <- matrix(zbar, p, 1)

sumVal    <- matrix(0, nrow = p, ncol = p)
for (i in 1:p) {
  zi      <- matrix(z[i,], nrow = p)
  sumVal  <- sumVal + (zi - zbar) %*% matrix(zi - zbar, ncol = p)
}
sigHat    <- 1/(n-2) * sumVal
C_0       <- 1/sqrt(n) * t(chol(sigHat))

# Specify details for ADADELTA (Stochastic Gradient-Descent)
SGD_iters <- 5 # Number of iterations for GVA
epsil     <- 10^-5
rho       <- 0.9

# -----
# Main
# -----
# Compute GVA
ansGVA <- compute_GVA(mu_0, C_0, h, delthh, delth_logpi, z, lam0, rho, epsil,
a, SGD_iters, AEL_iters)

# Plot graphs
diagnostic_plot(ansGVA) # Plot all graphs
diagnostic_plot(ansGVA, muList = c(1,4)) # Limit number of graphs
diagnostic_plot(ansGVA, cList = matrix(c(1,1, 5,6, 3,3), ncol = 2)) # Limit number of graphs

```


Index

* **package**

VBel-package, [2](#)

compute_AEL, [2](#)

compute_AEL(), [2](#)

compute_GVA, [4](#), [7](#)

compute_GVA(), [2](#)

diagnostic_plot, [7](#)

diagnostic_plot(), [2](#)

VBel (VBel-package), [2](#)

VBel-package, [2](#)