

# Package ‘micsr’

October 27, 2025

**Version** 0.1-4

**Date** 2025-10-27

**Title** Microeconometrics with R

**Depends** R (>= 4.1.0)

**Imports** Formula, Rdpack, sandwich, generics, numDeriv, survival, Rcpp,  
CompQuadForm, dfix

**Suggests** quarto, AER, censReg, sampleSelection, mlogit, MASS, lmtest,  
tinytest, ggplot2, modelsummary

**LinkingTo** Rcpp

**Description** Functions, data sets and examples for the book: Yves Croissant (2025) ‘Microeconometrics with R’, Chapman and Hall/CRC The R Series <[doi:10.1201/9781003100263](https://doi.org/10.1201/9781003100263)>. The package includes a set of estimators for models used in microeconometrics, especially for count data and limited dependent variables. Test functions include score test, Hausman test, Vuong test, Sargan test and conditional moment test. A small subset of the data set used in the book is also included.

**Encoding** UTF-8

**License** GPL (>= 2)

**URL** <https://www.r-project.org>

**VignetteBuilder** quarto

**NeedsCompilation** yes

**RoxygenNote** 7.3.1

**LazyData** true

**RdMacros** Rdpack

**Author** Yves Croissant [aut, cre] (ORCID:  
<<https://orcid.org/0000-0002-4857-7736>>)

**Maintainer** Yves Croissant <yves.croissant@univ-reunion.fr>

**Repository** CRAN

**Date/Publication** 2025-10-27 09:30:02 UTC

## Contents

apples . . . . .	3
binomreg . . . . .	4
birthwt . . . . .	5
bivprobit . . . . .	6
charitable . . . . .	7
cigmales . . . . .	7
clm . . . . .	8
cmtest . . . . .	9
drinks . . . . .	12
dummy . . . . .	13
escount . . . . .	13
expreg . . . . .	15
federiv . . . . .	16
fin_reform . . . . .	17
ftest . . . . .	18
gaussian_quad . . . . .	19
gauss_laguerre . . . . .	19
gaze . . . . .	20
hausman . . . . .	21
housprod . . . . .	22
ivldv . . . . .	23
loglm . . . . .	25
maximize . . . . .	26
micsr . . . . .	26
mills . . . . .	30
mode_choice . . . . .	31
ndvuong . . . . .	31
newton . . . . .	32
npar . . . . .	33
ordreg . . . . .	34
pbnorm . . . . .	35
poisreg . . . . .	36
pscore . . . . .	37
ptnorm . . . . .	39
punorm . . . . .	40
quad_form . . . . .	40
random_group . . . . .	41
recall . . . . .	42
rsq . . . . .	43
sargan . . . . .	43
scoretest . . . . .	44
select_coef . . . . .	45
stder . . . . .	46
tobit1 . . . . .	47
trade_protection . . . . .	49
trips . . . . .	50

<i>apples</i>	3
turnout . . . . .	51
twa . . . . .	51
unemp_duration . . . . .	53
vuong_sim . . . . .	53
weibreg . . . . .	54
zellner_revankar . . . . .	55
<b>Index</b>	<b>57</b>

---

apples	<i>Apple production</i>
--------	-------------------------

---

## Description

yearly observations of 173 farms from 1984 to 1986

## Format

a tibble containing:

- id: farm's id
- year: year
- capital: capital stock
- labor: quantity of labor
- materials: quantity of materials
- apples: production of apples
- otherprod: other productions
- pc: price of capital
- pl: price of labor
- pm: price of materials

## Source

Journal of Applied Econometrics Data Archive : <http://qed.econ.queensu.ca/jae/>

## References

Ivaldi M, Ladoux N, Ossard H, Simioni M (1996). "Comparing Fourier and translog specifications of multiproduct technology: Evidence from an incomplete panel of French farmers." *Journal of Applied Econometrics*, **11**(6), 649–667.

binomreg

*Binomial regression***Description**

A unified interface for binomial regression models, including linear probability, probit and logit models

**Usage**

```
binomreg(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  contrasts = NULL,
  link = c("identity", "probit", "logit"),
  method = c("ml", "twosteps", "minchisq", "test"),
  start = NULL,
  robust = TRUE,
  opt = c("newton", "nr", "bfgs"),
  maxit = 100,
  trace = 0,
  check_gradient = FALSE,
  ...
)

## S3 method for class 'binomreg'
glance(x, ...)
```

**Arguments**

formula	a symbolic description of the model
data	a data frame,
subset, weights, na.action, offset, contrasts	see <code>stats::lm</code> ,
link	one of "identity", "probit" and "logit" to fit respectively the linear probability, the probit and the logit model
method	"ml" for maximum likelihood (the only relevant method for a regression without instrumental variables), "twosteps" for two-steps estimator, "minchisq" for minimum chi-squared estimator and "test" to get the exogeneity test,
start	a vector of starting values
robust	only when method = "twosteps", should the robust covariance matrix be computed?

opt	optimization method
maxit	maximum number of iterations
trace	printing of intermediate result
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
x	a binomreg object

**Value**

an object of class `c("binomreg", "micsr")`, see `micsr::micsr` for further details

**Examples**

```
pbt <- binomreg(mode ~ cost + ivtime + ovtime, data = mode_choice, link = 'probit')
lpm <- binomreg(mode ~ cost + ivtime + ovtime, data = mode_choice, link = 'identity')
summary(pbt, vcov = "opg")
```

---

birthwt	<i>Cigarette smoking and birth weight</i>
---------	---

---

**Description**

a cross-section of 1388 individuals from 1988

**Format**

a tibble containing:

- birthwt: birth weight
- cigarettes: number of cigarettes smoked per day during pregnancy
- parity: birth order
- race: a factor with levels "other" and "white"
- sex: a factor with levels "female" and "male"
- edmother: number of years of education of the mother
- edfather: number of years of education of the father
- faminc: family income
- cigtax: per-pack state excise tax on cigarettes

**Source**

kindly provided by John Mullahy

**References**

Mullahy J (1997). "Instrumental-Variable Estimation of Count Data Models: Applications to Models of Cigarette Smoking Behavior." *The Review of Economics and Statistics*, **79**(4), 586-593.

bivprobit

*Bivariate probit***Description**

Estimation of bivariate probit models by maximum likelihood

**Usage**

```
bivprobit(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  method = c("newton", "bfgs"),
  ...
)

## S3 method for class 'bivprobit'
logLik(object, ..., type = c("model", "null"))
```

**Arguments**

formula	a symbolic description of the model, a two-part left and right hand side formula
data	a data frame,
subset, weights, na.action, offset	see stats::lm,
method	the optimization method, one of "newton" and "bfgs"
...	further arguments
object	a bivprobit object
type	for the logLik method

**Value**

an object of class micsr, see micsr::micsr for further details

**Examples**

```
bivprobit(mjob | fjob ~ meduc + ychild + owner | feduc + ychild + owner , housprod)
```

---

charitable*Intergenerational transmission of charitable giving*

---

**Description**

a cross-section of 2384 households from 2001

**Format**

a tibble containing:

- donation: the amount of charitable giving
- donparents: the amount of charitable giving of the parents
- education: the level of education of household's head, a factor with levels "less\_high\_school", "high\_school", "some\_college", "college", "post\_college"
- religion: a factor with levels "none", "catholic", "protestant", "jewish" and "other"
- income: income
- married: a dummy for married couples
- south: a dummy for households living in the south

**Source**

kindly provided by Mark Ottoni Wilhelm.

**References**

Wilhelm MO (2008). "Practical Considerations for Choosing Between Tobit and SCLS or CLAD Estimators for Censored Regression Models with an Application to Charitable Giving." *Oxford Bulletin of Economics and Statistics*, **70**(4), 559-582.

---

cigsmles*Cigarette smoking behaviour*

---

**Description**

a cross-section of 6160 individuals from 1979 to 1980

**Format**

a tibble containing:

- cigarettes: number of daily cigarettes smoked
- habit: smoking habit stock measure
- price: state-level average per-pack price of cigarettes in 1979
- restaurant: an indicator of whether the individual's state of residence had restrictions on smoking in restaurants in place in 1979
- income: family income in thousands
- age: age in years
- educ: schooling in years
- famsize: number of family members
- race: a factor with levels "other" and "white"
- reslgh: number of years the state's restaurant smoking restrictions had been in place in 1979
- lagprice: one-year lag of cigarette price

**Source**

kindly provided by John Mullahy

**References**

Mullahy J (1997). "Instrumental-Variable Estimation of Count Data Models: Applications to Models of Cigarette Smoking Behavior." *The Review of Economics and Statistics*, **79**(4), 586-593.

---

clm

---

*Constrained least squares*


---

**Description**

Compute the least squares estimator using linear constraints on the coefficients.

**Usage**

```
clm(x, R, q = NULL)

## S3 method for class 'clm'
vcov(object, ...)

## S3 method for class 'clm'
summary(object, ...)
```



**Arguments**

x	a linear model fitted by lm,
R	a matrix of constrains (one line for each constrain, one column for each coefficient),
q	an optional vector of rhs values (by default a vector of 0)
object	a clm object for the summary and the vcov methods
...	further arguments

**Value**

an object of class clm which inherits from class lm

**Examples**

```
# Cobb-Douglas production function for the apple data set
# First compute the total production
apples <- apples |> transform(prod = apples + otherprod)
# unconstrained linear model
cd <- lm(log(prod) ~ log(capital) + log(labor) +
        log(materials), apples)
# constrained linear model imposing constant
# return to scales
crs <- clm(cd, R = matrix(c(0, 1, 1, 1), nrow = 1),
            q = 1)
```

---

cmtest

---

*Conditional moments test*


---

**Description**

Conditional moments tests for maximum likelihood estimators, particularly convenient for the probit and the tobit model to test relevance of functional form, omitted variables, heteroscedasticity and normality.

**Usage**

```
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

## S3 method for class 'tobit'
cmtest(
  x,
```

```

    test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
    powers = 2:3,
    heter_cov = NULL,
    opg = FALSE
  )

## S3 method for class 'micsr'
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

## S3 method for class 'censReg'
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

## S3 method for class 'glm'
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

## S3 method for class 'weibreg'
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

```

## Arguments

<code>x</code>	a fitted model, currently a tobit model either fitted by <code>AER::tobit</code> , <code>censReg::censReg</code> or <code>micsr::tobit1</code> or a probit model fitted by <code>glm</code> with <code>family = binomial(link = "probit")</code> or by <code>micsr::binomreg</code> with <code>link = "probit"</code>
<code>test</code>	the kind of test to be performed, either a normality test (or separately a test that

	the skewness or kurtosis are 0 and 3), a heteroscedasticity test or a reset test,
powers	the powers of the fitted values that should be used in the reset test,
heter_cov	a one side formula that indicates the covariates that should be used for the heteroscedasticity test (by default all the covariates used in the regression are used),
opg	a boolean, if FALSE (the default), the analytic derivatives are used, otherwise the outer product of the gradient formula is used

## Value

an object of class "htest" containing the following components:

- data.man: a character string describing the fitted model
- statistic: the value of the test statistic
- parameter: degrees of freedom
- p.value: the p.value of the test
- method: a character indicating what type of test is performed

## Author(s)

Yves Croissant

## References

- Newey WK (1985). "Maximum Likelihood Specification Testing and Conditional Moment Tests." *Econometrica*, **53**(5), 1047–1070.
- Pagan A, Vella F (1989). "Diagnostic Tests for Models Based on Individual Data: A Survey." *Journal of Applied Econometrics*, **4**, S29–S59.
- Tauchen G (1985). "Diagnostic testing and evaluation of maximum likelihood models." *Journal of Econometrics*, **30**(1), 415–443.
- Wells C (2003). "Retesting Fair's (1978) Model on Infidelity." *Journal of Applied Econometrics*, **18**(2), 237–239.

## Examples

```
charitable$logdon <- with(charitable, log(donation) - log(25))
ml <- tobit1(logdon ~ log(donparents) + log(income) + education +
            religion + married + south, data = charitable)
cmtest(ml, test = "heterosc")
cmtest(ml, test = "normality", opg = TRUE)
```

drinks

*Physician advice on alcohol consumption***Description**

a cross-section of 2467 individuals from 1990

**Format**

a tibble containing:

- drinks: number of drinks in the past 2 weeks
- advice: 1 if received a drinking advice
- age: age in 10 years categories
- race: a factor with levels "white", "black" and "other"
- marital: marital status, one of "single", "married", "widow", "separated"
- region: one of "west", "northeast", "midwest" and "south"
- empstatus: one of "other", "emp" and "unemp"
- limits: limits on daily activities, one of "none", "some" and "major"
- income: monthly income (\$1000)
- educ: education in years
- medicare: insurance through medicare
- medicaid: insurance through medicaid
- champus: military insurance
- hlthins: health insurance
- regmed: regular source of care
- dri: see same doctor
- diabete: have diabetes
- hearthcond: have heart condition
- stroke: have stroke

**Source**

JAЕ data archive

**References**

Kenkel DS, Terza JV (2001). "The effect of physician advice on alcohol consumption: count regression with an endogenous treatment effect." *Journal of Applied Econometrics*, **16**(2), 165-184.

---

dummy

---

*Transform a factor in a set of dummy variables*


---

### Description

The normal way to store categorical variables in R is to use factors, each modality being a level of this factor. Sometimes however, it is more convenient to use a set of dummy variables.

### Usage

```
dummy(x, ..., keep = FALSE, prefix = NULL, ref = FALSE)
```

### Arguments

x	a data frame
...	series of the data frame, should be factors
keep	a boolean, if TRUE, the original series is kept in the data frame,
prefix	an optional prefix for the names of the computed dummies,
ref	a boolean, if TRUE, a dummy is created for all the levels, including the reference level

### Value

a data frame

### Examples

```
charitable |> dummy(religion, education)
```

---

escount

---

*Endogenous switching and sample selection models for count data*


---

### Description

Heckman's like estimator for count data, using either maximum likelihood or a two-step estimator

**Usage**

```
escount(
  formula,
  data,
  subset,
  weights,
  na.action,
  offset,
  start = NULL,
  R = 16,
  hessian = FALSE,
  method = c("twostep", "ml"),
  model = c("es", "ss")
)
```

**Arguments**

<code>formula</code>	a Formula object which includes two responses (the count and the binomial variables) and two sets of covariates (for the count component and for the selection equation)
<code>data</code>	a data frame,
<code>subset, weights, na.action, offset</code>	see <code>stats::lm</code>
<code>start</code>	an optional vector of starting values,
<code>R</code>	the number of points for the Gauss-Hermite quadrature
<code>hessian</code>	if TRUE, the numerical hessian is computed, otherwise the covariance matrix of the coefficients is computed using the outer product of the gradient
<code>method</code>	one of 'ML' for maximum likelihood estimation (the default) or 'twostep' for the two-step NLS method
<code>model</code>	one of 'es' for endogenous switching (the default) or 'ss' for sample selection

**Value**

an object of class `c("escount", "micsr")`, see `micsr::micsr` for further details.

**Author(s)**

Yves Croissant

**References**

Terza JV (1998). "Estimating count data models with endogenous switching: Sample selection and endogenous treatment effects." *Journal of Econometrics*, **84**(1), 129-154.

Greene WH (2001). "Fiml Estimation of Sample Selection Models for Count Data." In Negishi T, Ramachandran RV, Mino K (eds.), *Economic Theory, Dynamics and Markets: Essays in Honor of Ryuzo Sato*, chapter 6, 73–91. Springer US, Boston, MA.

**Examples**

```
trips_2s <- escount(trips + car ~ workschl + size + dist + smsa + fulltime + distnod +
  realinc + weekend + car | . ~ car + weekend + adults, data = trips, method = "twostep")
trips_ml <- update(trips_2s, method = "ml")
```

---

expreg	<i>Instrumental variable estimation for exponential conditional mean models</i>
--------	---

---

**Description**

Exponential conditional mean models are particularly useful for non-negative responses (including count data). Least squares and one or two steps IV estimators are available

**Usage**

```
expreg(
  formula,
  data,
  subset,
  weights,
  na.action,
  offset,
  method = c("iv", "gmm", "ls"),
  error = c("mult", "add"),
  ...
)
```

**Arguments**

formula	a two-part right hand side formula, the first part describing the covariates and the second part the instruments
data	a data frame,
subset, weights, na.action, offset	see stats::lm
method	one of "gmm" (the default), "iv" or ls.
error	one of "mult" (the default) or "add" in order to get a model with respectively a multiplicative or an additive error
...	further arguments

**Value**

an object of class "micsr", see micsr::micsr for further details.

**Author(s)**

Yves Croissant

## References

Mullahy J (1997). “Instrumental-Variable Estimation of Count Data Models: Applications to Models of Cigarette Smoking Behavior.” *The Review of Economics and Statistics*, **79**(4), 586-593.

## Examples

```
cigmales <- cigmales |>
  transform(age2 = age ^ 2, educ2 = educ ^ 2, educage = educ * age,
            age3 = age ^ 3, educ3 = educ ^ 3)
expreg(cigarettes ~ habit + price + restaurant + income + age + age2 + educ + educ2 +
        famsize + race | . - habit + reslgth + lagprice + age3 + educ3 + educage,
        data = cigmales)
expreg(birthwt ~ cigarettes + parity + race + sex | parity + race + sex +
        edmother + edfather + faminc + cigtax, data = birthwt)
```

---

federiv

*Foreign exchange derivatives use by large US bank holding companies*

---

## Description

a cross-section of 794 banks from 1996 to 2000

## Format

a tibble containing:

- federiv: foreign exchange derivatives use, a dummy
- optval: option awards
- eqrat: leverage
- bonus: bonus
- ltass: logarithm of total assets
- linsown: logarithm of the percentage of the total shares outstanding that are owned by officers and directors
- linstown: logarithm of the percentage of the total shares outstanding that are owned by all institutional investors
- roe: return on equity
- mktbk: market to book ratio
- perfor: foreign to total interest income ratio
- dealdum: derivative dealer activity dummy
- div: dividends paid
- year: year, from 1996 to 2000
- no\_emp: number of employees
- no\_subs: number of subsidiaries



- no\_off: number of offices
- ceo\_age: CEO age
- gap: 12 month maturity mismatch
- cfa: ratio of cash flow to total assets

### Source

Lee Adkin's home page <https://learneconometrics.com/>

### References

Adkins LC (2012). "Testing parameter significance in instrumental variables probit estimators: some simulation." *Journal of Statistical Computation and Simulation*, **82**(10), 1415-1436.

Adkins LC, Carter DA, Simpson WG (2007). "Managerial Incentives And The Use Of Foreign-Exchange Derivatives By Banks." *Journal of Financial Research*, **30**(3), 399-413.

---

fin\_reform

*Political economy of financial reforms*

---

### Description

a pseudo-panel of 35 countries from 1973 to 1996

### Format

a tibble containing:

- country: the country id
- year: the year
- region: the region
- pol: political orientation of the government
- fli: degree of policy liberalization index (from 0 to 18)
- yofc: year of office
- gdpg: growth rate of the gdp
- infl: inflation rate
- bop: balance of payments crises
- bank: banking crises
- imf: IMF program dummy
- usint: international interest rates
- open: trade openness
- dindx: difference of the inflation rate
- indx: inflation rate divided by 18

- indxl: lag value of indx
- rhs1:  $\text{indxl} * (1 - \text{indxl})$
- max\_indxl: maximum value of indxl by year and region
- catchup: difference between max\_indxl and indxl
- dum\_bop: balance of paiement crisis in the first two previous years
- dum\_bank: bank crises in the first two previous years
- dum\_1yofc: dummy for first year of office
- recession: dummy for recessions
- hinfl: dummy for inflation rate greater than 50 percent

### Source

AEA website

### References

Abiad A, Mody A (2005). "Financial Reform: What Shakes It? What Shapes It?" *American Economic Review*, **95**(1), 66-88.

---

ftest

*F statistic*

---

### Description

Extract the F statistic that all the parameters except the intercept are zero. Currently implemented only for models fitted by `lm` or `ivreg::ivreg`.

### Usage

```
ftest(x, ...)

## S3 method for class 'lm'
ftest(x, ...)

## S3 method for class 'ivreg'
ftest(x, ..., covariate = NULL)
```

### Arguments

<code>x</code>	a fitted object
<code>...</code>	further arguments
<code>covariate</code>	the covariate for which the test should be performed for the <code>ivreg</code> method

### Value

an object of class "htest".

---

gaussian_quad	<i>Gauss-Hermite quadrature</i>
---------------	---------------------------------

---

**Description**

Computes the node and the weights for the Gauss-Hermite quadrature (integral on the whole real line)

**Usage**

gauss\_hermite(N)

**Arguments**

N                      the number of evaluations

**Value**

a list containing two numeric vectors of length N, the first one containing the nodes and the second one the weights

---

gauss_laguerre	<i>Gauss-Laguerre quadrature</i>
----------------	----------------------------------

---

**Description**

Computes the node and the weights for the Gauss-Laguerre quadrature (integral on the whole real line)

**Usage**

gauss\_laguerre(N)

**Arguments**

N                      the number of evaluations

**Value**

a list containing two numeric vectors of length N, the first one containing the nodes and the second one the weights

---

gaze

Short print of the summary of an object

---

## Description

print and print.summary methods often returns long input, which is suitable for the console, but too verbal for a printed output like a book or an article written using quarto. gaze is a generic function which prints a short output

## Usage

```
gaze(x, ...)
```

```
## S3 method for class 'lm'
gaze(
  x,
  ...,
  digits = max(3L, getOption("digits") - 3L),
  signif.stars = FALSE,
  coef = NULL
)
```

```
## S3 method for class 'micr'
gaze(x, ..., digits = max(3L, getOption("digits") - 3L), signif.stars = FALSE)
```

```
## S3 method for class 'ivreg'
gaze(
  x,
  ...,
  coef = NULL,
  digits = max(3L, getOption("digits") - 3L),
  signif.stars = FALSE
)
```

```
## S3 method for class 'mlogit'
gaze(
  x,
  ...,
  coef = NULL,
  digits = max(3L, getOption("digits") - 3L),
  signif.stars = FALSE
)
```

```
## S3 method for class 'rdrobust'
gaze(x, ..., first_stage = FALSE)
```

```
## S3 method for class 'CJMrdensity'
```

```

gaze(x, ...)

## S3 method for class 'htest'
gaze(x, ..., digits = 3)

## S3 method for class 'anova'
gaze(x, ..., digits = 3)

## S3 method for class 'LMtestlist'
gaze(x, ..., digits = 3)

## S3 method for class 'RStestlist'
gaze(x, ..., digits = 3)

```

### Arguments

x	an object,
...	further arguments for the different methods,
digits	the number of digits for the lm and the ivreg methods
signif.stars	a boolean indicating whether the stars should be printed
coef	the coefficients to be printed
first_stage	a boolean for the rdrobust::rdrobust method, if TRUE the results of the first stage estimation are printed

### Value

returns invisibly its first argument

### Examples

```

t.test(extra ~ group, sleep) |> gaze()
lm(dist ~ poly(speed, 2), cars) |> gaze()
lm(dist ~ poly(speed, 2), cars) |> gaze(coef = "poly(speed, 2)2")

```

---

hausman

*Hausman test*


---

### Description

Hausman test; under the null both models are consistent but one of them is more efficient, under the alternative, only one model is consistent

**Usage**

```
hausman(x, y, omit = FALSE, ...)

## S3 method for class 'ivreg'
hausman(x, y, omit = FALSE, ...)

## S3 method for class 'micsr'
hausman(x, y, omit = NULL, ...)
```

**Arguments**

x	the first model,
y	the second model
omit	a character containing the effects that are removed from the test
...	further arguments

**Value**

an object of class "htest".

**Author(s)**

Yves Croissant

**References**

Hausman JA (1978). "Specification Tests in Econometrics." *Econometrica*, **46**(6), 1251–1271.

---

housprod

*Household Production*

---

**Description**

a cross-section of 819 households from 1984

**Format**

a tibble containing:

- mjob: dummy, 1 if male has paid job
- fjob: dummy, 1 if female has paid job
- mtime: home production time male (minutes per day)
- ftime: home production time female (minutes per day)
- mwage: net hourly wage rate male (estimate imputed if mjob=0)
- fwage: net hourly wage rate female (estimate imputed if fjob=0)

- mage: age male
- meduc: years of schooling male
- fage: age female
- feduc: years of schooling female
- owner: dummy, 1 if houseownwers
- fsize: family size
- ychild: number of children younger than 7 years old in the household
- cars: number of cars in the household
- nonlabinc: non-labour income (in units of 1000 Swedish Kronor)

### Source

JAE data archive

### References

Kerkhofs M, Kooreman P (2003). “Identification and Estimation of a Class of Household Production Models.” *Journal of Applied Econometrics*, **18**(3), 337–369.

---

ivldv

---

*Instrumental variable estimators for limited dependent variable*


---

### Description

Estimation of simultaneous-equation models when the response is binomial or censored

### Usage

```
ivldv(
  formula,
  data,
  subset = NULL,
  weights = NULL,
  na.action,
  offset,
  method = c("twosteps", "minchisq", "ml", "test"),
  model = c("probit", "tobit"),
  robust = TRUE,
  left = 0,
  right = Inf,
  trace = 0,
  ...
)

endogtest(x, ...)
```

```
## S3 method for class 'formula'
endogtest(x, ..., data, model = c("probit", "tobit"))

## S3 method for class 'ivldv'
endogtest(x, ...)
```

## Arguments

formula	a symbolic description of the model,
data	a data frame,
subset, weights, na.action, offset	see <code>lm</code> ,
method	one of "ml" for maximum likelihood, "twosteps" and "minchisq"
model	one of "probit" or "tobit",
robust	a boolean, if TRUE, a consistent estimation of the covariance of the coefficients is used for the 2-steps method,
left, right	left and right limits of the dependent variable. The default is respectively 0 and +Inf which corresponds to the most classic (left-zero truncated) tobit model,
trace	a boolean (the default if FALSE) if TRUE some information about the optimization process is printed,
...	further arguments
x	on object returned by <code>ivldv</code>

## Value

An object of class `c('ivldv', 'lm')`

## Author(s)

Yves Croissant

## References

Smith R, Blundell R (1986). "An Exogeneity Test for a Simultaneous Equation Tobit Model with an Application to Labor Supply." *Econometrica*, **54**(3), 679-85.

Rivers D, Vuong QH (1988). "Limited information estimators and exogeneity tests for simultaneous probit models." *Journal of Econometrics*, **39**(3), 347-366.

## Examples

```
inst <- ~ sic3 + k_serv + inv + engsci + whitecol + skill + semskill + cropland +
  pasture + forest + coal + petro + minerals + scrconc + bcrconc + scrcomp +
  bcrcomp + meps + kstock + puni + geog2 + tenure + klratio + bunion
trade_protection <- transform(trade_protection,
  y = ntb / (1 + ntb),
  x1 = vshipped / imports / elast)
```



```

trade_protection <- transform(trade_protection,
                              x2 = cap * x1,
                              x3 = labvar)
GH <- ivldv(Formula::as.Formula(y ~ x1 + x2, inst), trade_protection,
            method = "twosteps", model = "tobit")
Full <- ivldv(Formula::as.Formula(y ~ x1 + x2 + labvar, inst), trade_protection,
            method = "twosteps", model = "tobit")
Short <- ivldv(Formula::as.Formula(y ~ x1 + I(x2 + labvar), inst),
              trade_protection, method = "twosteps", model = "tobit")
bank_msq <- ivldv(federiv ~ eqrat + optval + bonus + ltass + linsown + linstown +
                 roe + mktbk + perfor + dealdum + div + year | . - eqrat - bonus -
                 optval + no_emp + no_subs + no_off + ceo_age + gap + cfa,
                 data = federiv, method = "minchisq")
bank_ml <- update(bank_msq, method = "ml")
bank_2st <- update(bank_msq, method = "twosteps")

```

loglm

*Log-linear model***Description**

Estimation of log-linear model; the estimation is done by `lm`, but the correct log-likelihood related quantities are returned

**Usage**

```
loglm(formula, data)
```

**Arguments**

formula, data     see `lm`

**Value**

An object of class "micsr", see `micsr::micsr` for further details.

**Author(s)**

Yves Croissant

**Examples**

```

lm_model <- lm(log(dist) ~ log(speed), cars)
log_model <- loglm(dist ~ log(speed), cars)
coef(lm_model)
coef(log_model)
# same coefficients, supplementary sigma coefficient for `loglm`
logLik(lm_model)
logLik(log_model)
# log_model returns the correct value for the log-likelihood

```

---

maximize	<i>Maximization of a function</i>
----------	-----------------------------------

---

### Description

This function provides a unified interface to three optimization algorithms: the BFGS algorithm provided by `stats::optim`, the Newton-Raphson algorithm provided by `stats::nlm` and a simple Newton-Raphson algorithm provided by `micsr::newton`

### Usage

```
maximize(
  x,
  start,
  method = c("bfgs", "nr", "newton"),
  trace = 0,
  maxit = 100,
  ...
)
```

### Arguments

<code>x</code>	the function to maximize
<code>start</code>	a vector of starting values
<code>method</code>	the optimization method
<code>trace</code>	if positive or true, some information about the computation is printed
<code>maxit</code>	maximum number of iterations
<code>...</code>	further arguments, passed to the function

### Value

a numeric vector, the parameters at the optimum of the function.

---

micsr	<i>micsr class</i>
-------	--------------------

---

### Description

The `micsr` class is intend to deal with a lot of different models that are estimated in the `micsr` package. More specifically, some models may be estimated using different estimation methods, like maximum likelihood, GMM or two-steps estimators. Objects of class `micsr` have an `est_method` item which is used by the different methods in order to have a relevent behaviour for the different methods.

**Usage**

```
llobs(x, ...)  
  
## S3 method for class 'micsr'  
coef(  
  object,  
  ...,  
  subset = NA,  
  fixed = FALSE,  
  grep = NULL,  
  invert = FALSE,  
  coef = NULL  
)  
  
## S3 method for class 'micsr'  
vcov(  
  object,  
  ...,  
  vcov = NULL,  
  subset = NA,  
  fixed = FALSE,  
  grep = NULL,  
  invert = FALSE,  
  coef = NULL  
)  
  
## S3 method for class 'micsr'  
summary(  
  object,  
  ...,  
  vcov = c("hessian", "info", "opg", "hc"),  
  subset = NA,  
  fixed = FALSE,  
  grep = NULL,  
  invert = FALSE,  
  coef = NULL  
)  
  
## S3 method for class 'summary.micsr'  
coef(object, ...)  
  
## S3 method for class 'micsr'  
print(x, digits = max(3L, getOption("digits") - 3L), ...)  
  
## S3 method for class 'summary.micsr'  
print(  
  x,  
  digits = max(3, getOption("digits") - 2),
```

```
    width = getOption("width"),
    ...
)

## S3 method for class 'micsr'
logLik(object, ..., type = c("model", "null", "saturated"), sum = TRUE)

## S3 method for class 'micsr'
BIC(object, ..., type = c("model", "null"))

## S3 method for class 'micsr'
AIC(object, ..., k = 2, type = c("model", "null"))

## S3 method for class 'micsr'
deviance(object, ..., type = c("model", "null"))

## S3 method for class 'micsr'
model.part(object, ..., lhs = 1)

## S3 method for class 'micsr'
model.matrix(object, formula = NULL, ..., rhs = 1)

## S3 method for class 'micsr'
estfun(x, ...)

## S3 method for class 'micsr'
vcovHC(x, type, omega = NULL, sandwich = TRUE, ...)

## S3 method for class 'micsr'
bread(x, ...)

## S3 method for class 'micsr'
nobs(object, ...)

## S3 method for class 'micsr'
llobs(x, ...)

## S3 method for class 'mlogit'
llobs(x, ...)

## S3 method for class 'micsr'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'micsr'
glance(x, ...)

## S3 method for class 'micsr'
residuals(object, ..., type = c("deviance", "pearson", "response"))
```

```
## S3 method for class 'micsr'
predict(object, ..., se = TRUE, newdata = NULL, shape = c("long", "wide"))

## S3 method for class 'micsr'
effects(object, ..., newdata = NULL, covariates = NULL, se = TRUE)

## S3 method for class 'effects'
summary(object, ...)

## S3 method for class 'predict'
summary(object, ...)

## S3 method for class 'micsr'
mean(x, ...)
```

### Arguments

x, object	an object which inherits the micsr class
...	further arguments
subset, grep, fixed, invert, coef	invert see 'micsr::select_coef'
vcov	the method used to compute the covariance matrix of the estimators (only for the ML estimator), one of hessian (the opposite of the inverse of the hessian), info (the inverse of the opposite of the expected value of the hessian), opg (the outer product of the gradient)
digits, width	see print
type, omega, sandwich	see sandwich::sandwich
sum	return either the sum of the contributions or the vector of contribution
k	see AIC
lhs, rhs	see Formula::model.frame.Formula
formula	a formula
conf.int, conf.level	see broom::tidy.lm
se	whether the standard errors could be computed for predictions and slopes
newdata	a new data frame to compute the predictions #' @param se a boolean indicating whether the standard errors should be computed
shape	the shape of the predictions for mlogit objects
covariates	a set of covariates for the effects method,

### Value

Objects of class micsr share a lot of common elements with lm: coefficients, residuals, fitted.values, model, terms, df.residual, xlevels, na.action, and call. npar is a named

vector containing the index of subset of coefficients, it is used to print a subset of the results. It also has a `est_method` element and, depending of its value, contains further elements. In particular, for model fitted by maximum likelihood, `value` contains the individual contribution to the log-likelihood function, `gradient` the individual contribution to the gradient, `hessian` the hessian and `information` the information matrix. `logLik` contains the log-likelihood values of the proposed, null and saturated models. `tests` contains the values of the test that all the coefficients of the covariates are 0, using the three classical tests.

The `llob` function is provided as a generic to extract the individual contributions to the log-likelihood

Specific methods have been written for `micr` objects: `nobs`, `generics::tidy`, `generics::glance`, `sandwich::meat`, `sandwich::estfun`, `predict`, `model.matrix`, `Formula::model.part`.

`logLik`, `BIC`, `AIC` and deviance methods have a `type` argument to select the proposed, null or saturated model.

`vcov` and `summary` methods have a `vcov` argument to select the estimator of the covariance matrix, which can be either based on the hessian, the gradient or the information.

`vcov`, `summary` and `coef` have a `subset` argument to select only a subset of the coefficients

---

mills

---

*Compute the inverse Mills ratio and its first two derivatives*


---

## Description

The inverse Mills ratio is used in several econometric models, especially different flavours of tobit model.

## Usage

```
mills(x, deriv = 0)
```

## Arguments

<code>x</code>	a numeric
<code>deriv</code>	one of 0 (the default, returns the inverse Mills ratio), 1 (the first derivative) and 2 (the second derivative)

## Value

a numeric.

---

mode_choice	<i>Choice between car and transit</i>
-------------	---------------------------------------

---

**Description**

a cross-section of 842 individuals

**Format**

a tibble containing:

- mode: 1 for car, 0 for transit
- cost: transit fare minus automobile travel cost in US\$
- ivtime: transit in-vehicule travel time minus in-vehicule travel time (minutes)
- ovtime: transit out-of vehicule time minus out-of vehicule travel time (minutes)
- cars: number of cars owned by the traveler's household

**Source**

GAMS's website [https://www.gams.com/latest/gamslib\\_ml/libhtml/gamslib\\_mws.html](https://www.gams.com/latest/gamslib_ml/libhtml/gamslib_mws.html)

**References**

Horowitz JL (1993). "Semiparametric estimation of a work-trip mode choice model." *Journal of econometrics*, **58**(1-2), 49-70.

---

ndvuong	<i>Non-degenerate Vuong test</i>
---------	----------------------------------

---

**Description**

An unhanced version of the Vuong test with a small-sample bias correction

**Usage**

```
ndvuong(
  x,
  y,
  size = 0.05,
  pval = TRUE,
  nested = FALSE,
  vartest = FALSE,
  ndraws = 10000,
  diffnorm = 0.1,
  seed = 1,
```

```

    numbers = NULL,
    nd = TRUE,
    print.level = 0
)

```

### Arguments

x	a first fitted model
y	a second fitted model
size	the size of the test
pval	should the p-value be computed ?
nested	a boolean, TRUE for nested models
vartest	a boolean, if TRUE, the variance test is computed
ndraws	the number of draws for the simulations
diffnorm	a creuser
seed	the seed
numbers	a user provided matrix of random numbers
nd	a boolean, if TRUE (the default) the non-degenerate Vuong test is computed
print.level	the level of details to be printed

### Value

an object of class "htest".

### References

- Vuong QH (1989). "Likelihood Ratio Tests for Selection and Non-Nested Hypotheses." *Econometrica*, **57**(2), 397-333.
- Shi X (2015). "A nondegenerate Vuong test." *Quantitative Economics*, 85-121.

### See Also

the classical Vuong test is implemented in `pscl::vuong` and `nonnest2::vuongtest`.

---

newton

*Newton-Raphson method for numerical optimization*

---

### Description

The Newton-Raphson method use the gradient and the hessian of a function. For well behaved functions, it is extremely accurate.



**Usage**

```
newton(
  fun,
  coefs,
  trace = 0,
  direction = c("min", "max"),
  tol = sqrt(.Machine$double.eps),
  maxit = 500,
  ...
)
```

**Arguments**

fun	the function to optimize
coefs	a vector of starting values
trace	if positive or true, some information about the computation is printed
direction	either "min" or "max"
tol	the tolerance
maxit	maximum number of iterations
...	further arguments, passed to fun

**Value**

a numeric vector, the parameters at the optimum of the function.

---

npar	<i>Number of parameters of a fitted model</i>
------	---

---

**Description**

The number of observation of a fitted model is typically obtained using the nobs method. There is no such generics to extract the same information about the number of parameters. npar is such a generic and has a special method for micsr objects with a subset argument that enables to compute the number of parameters for a subset of coefficients. The default method returns the length of the vector of coefficients extracted using the coef function.

**Usage**

```
npar(x, subset = NULL)

## Default S3 method:
npar(x, subset = NULL)

## S3 method for class 'micsr'
npar(x, subset = NULL)
```

**Arguments**

`x` a fitted model  
`subset` a character indicating the subset of coefficients (only relevant for `micr` models).

**Value**

an integer.

**Author(s)**

Yves Croissant

---

ordreg	<i>Ordered regression</i>
--------	---------------------------

---

**Description**

Maximum-likelihood estimation of a model for which the response is ordinal

**Usage**

```
ordreg(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  contrasts = NULL,
  link = c("probit", "logit", "cloglog"),
  start = NULL,
  opt = c("bfgs", "nr", "newton"),
  maxit = 100,
  trace = 0,
  check_gradient = FALSE,
  ...
)

## S3 method for class 'ordreg'
fitted(object, ..., type = c("outcome", "probabilities"))
```

**Arguments**

`formula` a symbolic description of the model  
`data` a data frame  
`subset, weights, na.action, offset, contrasts`  
 see `lm`

link	one of probit and logit
start	a vector of starting values,
opt	optimization method
maxit	maximum number of iterations
trace	printing of intermediate result
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
object	a ordreg object
type	one of "outcome" or "probabilities" for the fitted method

**Value**

an object of class micsr, see `micsr::micsr` for further details.

**Examples**

```
mod1 <- ordreg(factor(dindx) ~ rhs1 + catchup, fin_reform, link = "logit")
library(survival)
ud <- transform(unemp_duration, years = floor(duration / 365))
ud <- transform(ud, years = ifelse(years == 6, 5, years))
mod2 <- ordreg(Surv(years, censored == "no") ~ gender + age + log(1 + wage), ud,
               link = "cloglog", opt = "bfgs")
```

pbnorm

*Compute the probability for the bivariate normal function***Description**

Compute the probability for the bivariate normal function

**Usage**

```
pbnorm(z1, z2, rho)
```

**Arguments**

z1, z2	two numeric vectors
rho	a numeric vector

**Value**

a numeric vector

poisreg

*Poisson regression***Description**

A unified interface to perform Poisson, Negbin and log-normal Poisson models

**Usage**

```
poisreg(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  contrasts = NULL,
  start = NULL,
  mixing = c("none", "gamma", "lognorm"),
  vlink = c("nb1", "nb2"),
  opt = c("bfgs", "nr", "newton"),
  maxit = 100,
  trace = 0,
  check_gradient = FALSE,
  ...
)

## S3 method for class 'poisreg'
scoretest(object, ..., vcov = NULL)

## S3 method for class 'poisreg'
residuals(object, ..., type = c("deviance", "pearson", "response"))
```

**Arguments**

formula	a symbolic description of the model, (for the count component and for the selection equation)
data	a data frame
subset, weights, na.action, offset, contrasts	see stats::lm,
start	a vector of starting values
mixing	the mixing distribution, one of "none", "gamma" and "lognorm"
vlink	one of "nb1" and "nb2"
opt	optimization method
maxit	maximum number of iterations

trace	printing of intermediate result
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
object	a poisreg object
vcov	the covariance matrix estimator to use for the score test
type	the type of residuals for the residuals method

**Value**

an object of class `c("poisreg", "micsr")`, see `micsr::micsr` for further details.

**Examples**

```
nb1 <- poisreg(trips ~ workschl + size + dist + smsa + fulltime + distnod +
               realinc + weekend + car, trips, mixing = "gamma", vlink = "nb1")
```

---

pscore	<i>Propensity scores</i>
--------	--------------------------

---

**Description**

Propensity scores estimation, using an algorithm that checks the balancing hypothesis using strata and enable the estimation of the treatment effect using stratification methods

**Usage**

```
pscore(formula, data, maxiter = 4, tol = 0.005, link = c("logit", "probit"))
```

```
## S3 method for class 'pscore'
summary(object, ...)
```

```
## S3 method for class 'pscore'
print(
  x,
  ...,
  digits = getOption("digits"),
  var_equal = c("none", "strata", "group", "both")
)
```

```
## S3 method for class 'summary.pscore'
print(
  x,
  ...,
  digits = getOption("digits"),
  step = c("all", "strata", "covariates", "atet")
)
```

```

)

## S3 method for class 'pscore'
nobs(object, ..., smpl = c("total", "cs"))

## S3 method for class 'summary.pscore'
nobs(object, ..., smpl = c("total", "cs"))

rg(object, ...)

## S3 method for class 'pscore'
rg(object, ..., smpl = c("total", "cs"))

## S3 method for class 'summary.pscore'
rg(object, ..., smpl = c("total", "cs"))

stdev(object, ...)

## S3 method for class 'pscore'
mean(x, ..., var_equal = c("none", "strat", "group", "both"))

## S3 method for class 'summary.pscore'
mean(x, ...)

## S3 method for class 'pscore'
stdev(object, ..., var_equal = c("none", "strata", "group", "both"))

## S3 method for class 'summary.pscore'
stdev(object, ..., var_equal = c("none", "strata", "group", "both"))

```

## Arguments

formula	a Formula object; the left-hand side should contain two variables ( $x_1 + x_2$ ), where $x_1$ is the group variable and $x_2$ the outcome. The group variable can be either a dummy for treated individuals or a factor with levels "treated" and "control"
data	a data frame
maxiter	the maximum number of iterations
tol	stratas are cut in halves as long as the hypothesis of equal means is rejected at the tol level,
link	the link for the binomial glm estimation, either "logit" or "probit"
...	further arguments
x, object	a "pscore" or a "summary.pscore" object
digits	number of digits for the print methods
var_equal	to compute the variance of the ATET, variances can be computed at the class/group level (var_equal = "none"), at the class level (var_equal = "group"), at the group level (var_equal = "strata") or globally (var_equal = "both")

step	for the <code>print.summary</code> method, the step of the test to be printed: one of "all" (the default), strata, covariates and atet
smp1	the sample to use, either the whole sample ( <code>smp1 = "total"</code> ) or the sample with common support ( <code>smp1 = "cs"</code> )

## Value

an object of class "pscore", with the following elements:

- `strata`: a tibble containing the stratas, the frequencies, the means and the variances of the propensity scores for treated and controled observations
- `cov_balance`: a tibble containing the results of the balancing tests for every covariate; the results for the class with the lowest p-value is reported
- `unchecked_cov`: a character vector containing the names of the covariates for which the balancing test could be computed
- `model`: a tibble containing the original data, with supplementary columns: `.gp` for the groups, `.resp` for the outcome and `.cls` for the stratas
- `pscore`: the glm model fitted to compute the propensity scores

## References

Dehejia RH, Wahba S (2002). "Propensity Score-Matching Methods for Nonexperimental Causal Studies." *The Review of Economics and Statistics*, **84**(1), 151-161. ISSN 0034-6535, doi:[10.1162/003465302317331982](https://doi.org/10.1162/003465302317331982).

Becker SO, Ichino A (2002). "Estimation of average treatment effects based on propensity scores." *Stata Journal*, **2**(4), 358-377(20).

## Examples

```
data_tuscany <- twa |>
  subset(region == "Tuscany") |>
  transform(dist2 = dist ^ 2,
    livselfemp = I((city == "livorno") * (occup == "selfemp")),
    perm = ifelse(outcome == "perm", 1, 0))
formula_tuscany <- perm + group ~ city + sex + marital + age +
  loc + children + educ + pvoto + training +
  empstat + occup + sector + wage + hour + feduc + femp + fbluecol +
  dist + dist2 + livselfemp
pscore(formula_tuscany, data_tuscany)
```

---

ptnorm

*Compute the probability for the trivariate normal function*

---

## Description

Compute the probability for the trivariate normal function

**Usage**

ptnorm(z, rho)

**Arguments**

- z                    a matrix with three columns
- rho                a matrix with three columns

**Value**

a numeric vector

---

punorm	<i>Compute the probability for the univariate normal function</i>
--------	---

---

**Description**

Compute the probability for the univariate normal function

**Usage**

punorm(z)

**Arguments**

- z                    a numeric vector

**Value**

a numeric vector

---

quad_form	<i>Compute quadratic form</i>
-----------	-------------------------------

---

**Description**

Compute quadratic form of a vector with a matrix, which can be the vector of coefficients and the covariance matrix extracted from a fitted model

**Usage**

quad\_form(x, m = NULL, inv = TRUE, subset = NULL, vcov = NULL, ...)



**Arguments**

x	a numeric vector or a fitted model
m	a square numeric matrix
inv	a boolean, if TRUE (the default), the quadratic form is computed using the inverse of the matrix
subset	a subset of the vector and the corresponding subset of the matrix
vcov	if NULL the vcov method is used, otherwise it can be a function or, for micsr objects, a character
...	arguments passed to vcov if it is a function

---

random_group	<i>Random control group</i>
--------------	-----------------------------

---

**Description**

a cross-section of 2166 individuals from 2001

**Format**

a tibble containing:

- female: 1 for females
- age: age
- child: children
- migrant: non-dutch
- single: 1 for singles
- temp: one for temporary job
- ten: firm tenure (months)
- edu: education, one of "Low", "Intermediate" and "High"
- fsize: firm size, one of "up to 50", "50 to 200" and "more than 200"
- samplew: sample weights
- lnwh: log of hourly wage
- group: group indicator, from -2 to 3

**Source**

Journal of Applied Econometrics Data Archive : <http://qed.econ.queensu.ca/jae/>

**References**

Leuven E&OH (2008). "An alternative approach to estimate the wage returns to private-sector training." *Journal of Applied Econometrics*, **23**, 423-434.

recall

*recall***Description**

a cross-section of 1045 spell of unemployment from 1980

**Format**

a tibble containing:

- id: individual id
- spell: spell id
- end: the situation at the end of the observation of the spell; a factor with levels "new-job", "recall" or "censored"
- duration: duration of unemployment spell
- age: age the year before the spell
- sex: a factor with levels "male" and "female"
- educ: years of schooling
- race: a factor with levels "white" and "nonwhite"
- nb: number of dependents
- ui: a factor indicating unemployment insurance during the spell
- marital: marital status, a factor with levels "single" and "married"
- unemp: county unemployment rate (interval midpoints for 1980 spells)
- wifemp: wife's employment status, a factor with levels "no" and "yes",
- homeowner: home owner, a factor with levels "no" and "yes",
- occupation: a factor with 5 levels
- industry: a factor with 9 levels

**Source**

Journal of Applied Econometrics Data Archive : <http://qed.econ.queensu.ca/jae/>

**References**

Sueyoshi GT (1995). "A Class of Binary Response Models for Grouped Duration Data." *Journal of Applied Econometrics*, **10**(4), 411–431. ISSN 08837252, 10991255.

---

rsq	<i>Coefficient of determination</i>
-----	-------------------------------------

---

**Description**

A generic function to compute different flavors of coefficients of determination

**Usage**

```
rsq(x, type)

## S3 method for class 'lm'
rsq(x, type = c("raw", "adj"))

## S3 method for class 'micsr'
rsq(
  x,
  type = c("mcfadden", "cox_snell", "cragg_uhler", "aldrich_nelson", "veall_zimm",
    "estrella", "cor", "ess", "rss", "tjur", "mckel_zavo", "wald", "score", "lr")
)
```

**Arguments**

x	fitted model
type	the type of coefficient of determination

**Value**

a numeric scalar.

**Examples**

```
pbt <- binomreg(mode ~ cost + ivtime + ovtime, data = mode_choice, link = 'probit')
rsq(pbt)
rsq(pbt, "estrella")
rsq(pbt, "veall_zimm")
```

---

sargan	<i>Sargan test for GMM models</i>
--------	-----------------------------------

---

**Description**

When a IV model is over-identified, the set of all the empirical moment conditions can't be exactly 0. The test of the validity of the instruments is based on a quadratic form of the vector of the empirical moments

**Usage**

```
sargan(object, ...)

## S3 method for class 'ivreg'
sargan(object, ...)

## S3 method for class 'micsr'
sargan(object, ...)
```

**Arguments**

```
object      a model fitted by GMM
...         further arguments
```

**Value**

an object of class "htest".

**Examples**

```
cigmales <- cigmales |>
  transform(age2 = age ^ 2, educ2 = educ ^ 2,
            age3 = age ^ 3, educ3 = educ ^ 3,
            educage = educ * age)
gmm_cig <- expreg(cigarettes ~ habit + price + restaurant + income + age + age2 +
  educ + educ2 + famsize + race | . - habit + age3 + educ3 +
  educage + lagprice + reslgth, data = cigmales,
  twosteps = FALSE)
sargan(gmm_cig)
```

---

scoretest

*Score test*


---

**Description**

Score test, also known as Lagrange multiplier tests

**Usage**

```
scoretest(object, ...)

## Default S3 method:
scoretest(object, ...)

## S3 method for class 'micsr'
scoretest(object, ..., vcov = NULL)
```

**Arguments**

object	the first model,
...	for the <code>micsr</code> method, it should be the formula for the "large" model or an object from which a formula can be extracted
vcov	an optional covariance matrix

**Value**

an object of class "htest".

**Author(s)**

Yves Croissant

**Examples**

```
mode_choice <- transform(mode_choice, cost = cost * 8.42)
mode_choice <- transform(mode_choice, gcost = (ivtime + ovtime) * 8 + cost)
pbt_unconst <- binomreg(mode ~ cost + ivtime + ovtime, data = mode_choice, link = "probit")
pbt_const <- binomreg(mode ~ gcost, data = mode_choice, link = "logit")
scoretest(pbt_const, . ~ . + ivtime + ovtime)
```

---

select_coef	<i>select a subset of coefficients</i>
-------------	--

---

**Description**

`micsr` objects have a `rpar` element which is vector of integers with names that indicates the kind of the coefficients. For example, if the 6 first coefficients are covariates parameters and the next 3 parameters that define the distribution of the errors, `npar` will be `c(covariates = 6, vcov = 3)`. It has an attribute which indicates the subset of coefficients that should be selected by default. `select_coef` has a `subset` argument (a character vector) and returns a vector of integers which is the position of the coefficients to extract.

**Usage**

```
select_coef(
  object,
  subset = NA,
  fixed = FALSE,
  grep = NULL,
  invert = FALSE,
  coef = NULL
)
```

**Arguments**

object	a fitted model
subset	a character vector, the type of parameters to extract
fixed	if TRUE, the fixed parameters are selected
grep	a regular expression
invert	should the coefficients that <b>don't</b> match the pattern should be selected ?
coef	a vector of coefficients

**Value**

a numeric vector

---

stder	<i>Extract the standard errors of estimated coefficients</i>
-------	--

---

**Description**

The standard errors are a key element while presenting the results of a model. They are the second column of the table of coefficient and are used to compute the t/z-value. `stder` enables to retrieve easily the vector of standard errors, either from a fitted model or from a matrix of covariance

**Usage**

```
stder(x, vcov, subset = NA, fixed = FALSE, grep = NULL, invert = FALSE, ...)
```

```
## Default S3 method:
```

```
stder(
  x,
  vcov = NULL,
  subset = NA,
  fixed = FALSE,
  grep = NULL,
  invert = FALSE,
  ...
)
```

**Arguments**

x	a fitted model or a matrix of covariance
vcov	a function that computes a covariance matrix, or a character
subset, grep, fixed, invert	invert see 'micr::select_coef'
...	further arguments

**Value**

a numeric vector

---

tobit1	<i>Truncated response model</i>
--------	---------------------------------

---

## Description

Estimation of models for which the response is truncated, either on censored or truncated samples using OLS, NLS, maximum likelihood, two-steps estimators or trimmed estimators

## Usage

```
tobit1(
  formula,
  data,
  subset,
  weights,
  na.action,
  offset,
  contrasts = NULL,
  start = NULL,
  left = 0,
  right = Inf,
  scedas = NULL,
  sample = c("censored", "truncated"),
  method = c("ml", "lm", "twostep", "trimmed", "nls", "minchisq", "test"),
  opt = c("bfgs", "nr", "newton"),
  maxit = 100,
  trace = 0,
  check_gradient = FALSE,
  ...
)

## S3 method for class 'tobit1'
fitted(object, ...)
```

## Arguments

formula	a symbolic description of the model; if two right hand sides are provided, the second one described the set of instruments if scedas is NULL, which is the default. Otherwise, the second part indicates the set of covariates for the variance function
data, subset, weights, na.action, offset, contrasts	see <code>lm</code>
start	an optional vector of starting values
left, right	left and right truncation points for the response The default is respectively 0 and +Inf which corresponds to the most classic (left-zero truncated) tobit model

scedas	the functional form used to specify the conditional variance, either "exp" or "pnorm"
sample	either "censored" (the default) to estimate the censored (tobit) regression model or "truncated" to estimate the truncated regression model
method	one of "ml" for maximum likelihood, "lm" for (biased) least squares estimators, "twostep" for two-steps consistent estimators, "trimmed" for symmetrically censored estimator, "minchisq" and "test". The last two are only relevant for instrumental variable estimation (when the formula is a two-parts formula and scedas is NULL)
opt	optimization method
maxit	maximum number of iterations
trace	printing of intermediate result
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
object	a tobit1 object

## Value

An object of class `c("tobit1", "micsr")`, see `micsr::micsr` for further details.

## Author(s)

Yves Croissant

## References

Powell J (1986). "Symmetrically trimmed least squares estimators for tobit models." *Econometrica*, **54**, 1435–1460.

## Examples

```
charitable$logdon <- with(charitable, log(donation) - log(25))
ml <- tobit1(logdon ~ log(donparents) + log(income) + education +
             religion + married + south, data = charitable)
scls <- update(ml, method = "trimmed")
tr <- update(ml, sample = "truncated")
nls <- update(tr, method = "nls")
```



trade\_protection

*Lobbying from Capitalists and Unions and Trade Protection***Description**

a cross-section of 194 United States

**Format**

a tibble containing:

- ntb: nontariff barrier coverage ratio
- vshipped: value of shipments
- imports: importations
- elast: demand elasticity
- cap: lobbying
- labvar: labor market covariate
- sic3: 3-digit SIC industry classification
- k\_serv: physical capital, factor share
- inv: Inventories, factor share
- engsci: engineers and scientists, factor share
- whitecol: white collar, factor share
- skill: skilled, factor share
- semskill: semi-skilled, factor share
- cropland: cropland, factor share
- pasture: pasture, factor share
- forest: forest, factor share
- coal: coal, factor share
- petro: petroleum, factor share
- minerals: minerals, factor share
- scrconc: seller concentration
- bcrconc: buyer concentration
- scrcomp: seller number of firms
- bcrcomp: buyer number of firms
- meps: scale
- kstock: capital stock
- puni: proportion of workers union
- geog2: geographic concentration
- tenure: average worker tenure, years
- klratio: capital-labor ratio
- bunion:

**Source**

American Economic Association Data Archive : <https://www.aeaweb.org/aer/>

**References**

Matschke X, Sherlund SM (2006). "Do Labor Issues Matter in the Determination of U.S. Trade Policy? An Empirical Reevaluation." *American Economic Review*, **96**(1), 405-421.

---

trips

*Determinants of household trip taking*


---

**Description**

a cross-section of 577 households from 1978

**Format**

a tibble containing:

- trips: number of trips taken by a member of a household the day prior the survey interview
- car: 1 if household owns at least one motorized vehicle
- workschl: share of trips for work or school vs personal business or pleasure
- size: number of individuals in the household
- dist: distance to central business district in kilometers
- smsa: a factor with levels "small" (less than 2.5 million population) and "large" (more than 2.5 million population)
- fulltime: number of fulltime workers in household
- adults: number of adults in household
- distnod: distance from home to nearest transit node, in blocks
- realinc: household income divided by median income of census tract in which household resides
- weekend: 1 if the survey period is either saturday or sunday

**Source**

kindly provided by Joseph Terza

**References**

Terza JV (1998). "Estimating count data models with endogenous switching: Sample selection and endogenous treatment effects." *Journal of Econometrics*, **84**(1), 129-154.

Terza JV, Wilson PW (1990). "Analyzing Frequencies of Several Types of Events: A Mixed Multinomial-Poisson Approach." *The Review of Economics and Statistics*, **72**(1), 108-115.

---

turnout

*Turnout*


---

### Description

these three models are replication in R of stata's code available on the web site of the American Economic Association. The estimation is complicated by the fact that some linear constraints are imposed.

### Format

a list of three fitted models:

- group: the group-rule-utilitarian model
- intens: the intensity model
- sur: the reduced form SUR model

### Details

Turnout in Texas liquor referenda

### Source

[American Economic Association data archive.](#)

### References

Coate S, Conlin M (2004). "A Group Rule-Utilitarian Approach to Voter Turnout: Theory and Evidence." *American Economic Review*, **94**(5), 1476-1504.

### Examples

```
ndvuong(turnout$group, turnout$intens)
ndvuong(turnout$group, turnout$sur)
ndvuong(turnout$intens, turnout$sur)
```

---

tw

*Temporary help jobs and permanent employment*


---

### Description

a cross-section of 2030 individuals

### Format

a tibble containing:

- id: identification code
- age: age
- sex: a factor with levels "female" and "male"
- marital: marital status, "married" or "single"
- children: number of children
- feduc: father's education
- fbluecol: father blue-color
- femp: father employed at time 1
- educ: years of education
- pvoto: mark in last degree as fraction of max mark
- training: received professional training before treatment
- dist: distance from nearest agency
- nyu: fraction of school-to-work without employment
- hour: weekly hours of work
- wage: monthly wage
- hwage: hourly wage at time 1
- contact: contacted a temporary work agency
- region: one of "Tuscany" and "Sicily"
- city: the city
- group: one of "control" and "treated"
- sector: the sector
- occup: occupation, one of "nojob", "selfemp", "bluecol" and "whitecol"
- empstat: employment status, one of "empl", "unemp" and "olf" (out of labor force)
- contract: job contract, one of "nojob", "atyp" (atypical) and "perm" (permanent)
- loc: localisation, one of "nord", "centro", "sud" and "estero"
- outcome: one of "none", "other", "fterm" and "perm"

### Source

Journal of Applied Econometrics Data Archive : <http://qed.econ.queensu.ca/jae/>

### References

Ichino A, Mealli F, Nannicini T (2008). "From Temporary Help Jobs to Permanent Employment: What Can We Learn from Matching Estimators and Their Sensitivity?" *Journal of Applied Econometrics*, **23**(3), 305–327.

---

unemp_duration	<i>Unemployment Duration in Germany</i>
----------------	---

---

**Description**

a cross-section of 21685 individuals from 1996 to 1997

**Format**

a tibble containing:

- duration: the duration of the unemployment spell in days
- censored: a factor with levels yes if the spell is censored, no otherwise
- gender: a factor with levels male and female
- age: the age
- wage: the last daily wage before unemployment

**Source**

The Royal Statistical Society Datasets Website

**References**

Wichert L, Wilke RA (2008). “Simple Non-Parametric Estimators for Unemployment Duration Analysis.” *Journal of the Royal Statistical Society. Series C (Applied Statistics)*, **57**(1), 117–126. ISSN 00359254, 14679876.

---

vuong_sim	<i>Simulated pdfs for the Vuong statistics using linear models</i>
-----------	--

---

**Description**

This function can be used to reproduce the examples given by Shi (2015) which illustrate the fact that the distribution of the Vuong statistic may be very different from a standard normal

**Usage**

```
vuong_sim(N = 1000, R = 1000, Kf = 15, Kg = 1, a = 0.125)
```

**Arguments**

N	sample size
R	the number of replications
Kf	the number of covariates for the first model
Kg	the number of covariates for the second model
a	the share of the variance of y explained by the two competing models

**Value**

a numeric of length N containing the values of the Vuong statistic

**References**

Shi X (2015). “A nondegenerate Vuong test.” *Quantitative Economics*, 85-121.

**Examples**

```
vuong_sim(N = 100, R = 10, Kf = 10, Kg = 2, a = 0.5)
```

---

weibreg

*Weibull regression model for duration data*


---

**Description**

The Weibull model is the most popular model for duration data. This function enables the estimation of this model with two alternative (but equivalent) parametrization: the Accelerate Failure Time and the Proportional Hazard. Moreover heterogeneity can be introduced, which leads to the Gamma-Weibull model

**Usage**

```
weibreg(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  contrasts = NULL,
  model = c("aft", "ph"),
  opt = c("bfgs", "newton", "nr"),
  start = NULL,
  maxit = 100,
  robust = TRUE,
  trace = 0,
  mixing = FALSE,
  check_gradient = FALSE,
  ...
)

gres(x)

## S3 method for class 'weibreg'
scoretest(object, ..., vcov = NULL)
```

**Arguments**

formula	a symbolic description of the model
data	a data frame
subset, weights, na.action, offset, contrasts	see stats::lm,
model	one of "aft" or "ph"
opt	the optimization method
start	a vector of starting values
maxit	maximum number of iterations
robust	a boolean if TRUE, the log of the shape and the variance parameters are estimated
trace	an integer
mixing	if TRUE, the Gamma-Weibull model is estimated
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
x, object	a weibreg object
vcov	the covariance matrix estimator to use for the score test

**Value**

an object of class c("weibreg", "micsr"), see micsr::micsr for further details.

**Examples**

```
library(survival)
wz <- weibreg(Surv(duration, censored == "no") ~ gender + age + log(wage + 1),
              unemp_duration, mixing = TRUE, model = "ph")
```

---

zellner_revankar	<i>Generalized production function</i>
------------------	--

---

**Description**

Log-likelihood function for the generalized production function of Zellner and Revankar (1969)

**Usage**

```
zellner_revankar(
  theta,
  y,
  Z,
  sum = FALSE,
  gradient = TRUE,
  hessian = TRUE,
  repar = TRUE
)
```

**Arguments**

theta	the vector of parameters
y	the vector of response
Z	the matrix of covariates
sum	if FALSE, a vector of individual contributions to the likelihood and the matrix of individual contributions to the gradient are returned, if TRUE a log-likelihood scalar and a gradient vector are returned
gradient	if TRUE, the gradient is returned as an attribute
hessian	if TRUE, the hessian is returned as an attribute
repar	if TRUE, the likelihood is parametrized such that the constant return to scale hypothesis implies that two coefficients are 0

**Value**

a function.

**Author(s)**

Yves Croissant

**References**

Zellner A, Revankar NS (1969). "Generalized Production Functions." *Review of Economic Studies*, **36**(2), 241-250.



# Index

## \* dataset

- apples, 3
- birthwt, 5
- charitable, 7
- cigmales, 7
- drinks, 12
- federiv, 16
- fin\_reform, 17
- housprod, 22
- mode\_choice, 31
- random\_group, 41
- recall, 42
- trade\_protection, 49
- trips, 50
- turnout, 51
- twc, 51
- unemp\_duration, 53

## \* htest

- cmtest, 9
- fctest, 18
- hausman, 21
- ndvuong, 31
- sargan, 43
- scoretest, 44

## \* misc

- dummy, 13
- gaze, 20
- maximize, 26
- mills, 30
- newton, 32
- npar, 33
- stder, 46

## \* models

- binomreg, 4
- bivprobit, 6
- clm, 8
- escount, 13
- expreg, 15
- ivldv, 23

- loglm, 25
- ordreg, 34
- poisreg, 36
- pscore, 37
- tobit1, 47
- weibreg, 54

- AIC.micsr (micsr), 26
- apples, 3

- BIC.micsr (micsr), 26
- binomreg, 4
- birthwt, 5
- bivprobit, 6
- bread.micsr (micsr), 26

- charitable, 7
- cigmales, 7
- clm, 8
- cmtest, 9
- coef.micsr (micsr), 26
- coef.summary.micsr (micsr), 26

- deviance.micsr (micsr), 26
- drinks, 12
- dummy, 13

- effects.micsr (micsr), 26
- endogtest (ivldv), 23
- escount, 13
- estfun.micsr (micsr), 26
- expreg, 15

- federiv, 16
- fin\_reform, 17
- fitted.ordreg (ordreg), 34
- fitted.tobit1 (tobit1), 47
- fctest, 18

- gauss\_hermite (gaussian\_quad), 19
- gauss\_laguerre, 19

gaussian\_quad, 19  
gaze, 20  
glance.binomreg (binomreg), 4  
glance.micsr (micsr), 26  
gres (weibreg), 54  
  
hausman, 21  
housprod, 22  
  
ivldv, 23  
  
llobs (micsr), 26  
logLik.bivprobit (bivprobit), 6  
logLik.micsr (micsr), 26  
loglm, 25  
  
maximize, 26  
mean.micsr (micsr), 26  
mean.pscore (pscore), 37  
mean.summary.pscore (pscore), 37  
micsr, 26  
mills, 30  
mode\_choice, 31  
model.matrix.micsr (micsr), 26  
model.part.micsr (micsr), 26  
  
ndvuong, 31  
newton, 32  
nobs.micsr (micsr), 26  
nobs.pscore (pscore), 37  
nobs.summary.pscore (pscore), 37  
npar, 33  
  
ordreg, 34  
  
pbnorm, 35  
poisreg, 36  
predict.micsr (micsr), 26  
print.micsr (micsr), 26  
print.pscore (pscore), 37  
print.summary.micsr (micsr), 26  
print.summary.pscore (pscore), 37  
pscore, 37  
ptnorm, 39  
punorm, 40  
  
quad\_form, 40  
  
random\_group, 41  
recall, 42  
  
residuals.micsr (micsr), 26  
residuals.poisreg (poisreg), 36  
rg (pscore), 37  
rsq, 43  
  
sargan, 43  
scoretest, 44  
scoretest.poisreg (poisreg), 36  
scoretest.weibreg (weibreg), 54  
select\_coef, 45  
stder, 46  
stdev (pscore), 37  
summary.clm (clm), 8  
summary.effects (micsr), 26  
summary.micsr (micsr), 26  
summary.predict (micsr), 26  
summary.pscore (pscore), 37  
  
tidy.micsr (micsr), 26  
tobit1, 47  
trade\_protection, 49  
trips, 50  
turnout, 51  
twa, 51  
  
unemp\_duration, 53  
  
vcov.clm (clm), 8  
vcov.micsr (micsr), 26  
vcovHC.micsr (micsr), 26  
vuong\_sim, 53  
  
weibreg, 54  
  
zellner\_revankar, 55