

# Package ‘wikifacts’

October 12, 2022

**Type** Package

**Title** Get Facts and Data from Wikipedia and Wikidata

**Version** 0.4.2

**Description** Query Wikidata and get facts from current and historic Wikipedia main pages.

**License** CC0

**Encoding** UTF-8

**Imports** magrittr, rvest, utils, xml2

**RoxygenNote** 7.1.1

**Suggests** covr, testthat

**NeedsCompilation** no

**Author** Keith McNulty [aut, cre] (<<https://orcid.org/0000-0002-2332-1654>>),  
Petr Kajzar [ctb]

**Maintainer** Keith McNulty <keith.mcnulty@gmail.com>

**Repository** CRAN

**Date/Publication** 2021-04-29 14:20:02 UTC

## R topics documented:

wiki_define . . . . .	2
wiki_didyouknow . . . . .	2
wiki_inthenews . . . . .	3
wiki_onthisday . . . . .	4
wiki_query . . . . .	5
wiki_randomfact . . . . .	5
wiki_search . . . . .	6

**Index**

7

---

<code>wiki_define</code>	<i>Define a term from Wikipedia</i>
--------------------------	-------------------------------------

---

### Description

‘wiki\_define()‘ displays plaintext extract(s) of the given term(s) from the Wikipedia article(s).

### Usage

```
wiki_define(term = NULL, sentences = 5L)
```

### Arguments

<code>term</code>	A non-empty character string or vector giving the name(s) of the term to be searched
<code>sentences</code>	An integer (or whole number) giving the number of sentences to return

### Value

An extract from the Wikipedia article

### Examples

```
wiki_define('R (programming language)')

animals <- data.frame(name = c("dog", "cat"))
animals$definition <- wiki_define(animals$name, sentences = 1)
print(animals)
```

---

<code>wiki_didyouknow</code>	<i>Generate 'did you know' facts from the Wikipedia main page on a specified date.</i>
------------------------------	--

---

### Description

‘wiki\_didyouknow()‘ generates ‘did you know’ facts from the Wikipedia main page on a specified date.

### Usage

```
wiki_didyouknow(
  n_facts = 1L,
  date = sample(seq(as.Date("2015-01-01"), Sys.Date() - 1, by = "day"), 1),
  bare_fact = FALSE
)
```

### Arguments

n_facts	An integer determining the number of facts that will be generated, up to a limit of the maximum facts for the date specified.
date	A date string of the form YYYY-MM-DD. Default value is a random date since 1 January 2015.
bare_fact	Logical. Determining whether the fact should be quoted as is or surrounded by a preamble and courtesy statement.

### Value

A vector of strings with random 'did you know' facts from Wikipedia's main page if it exists for the date specified - otherwise "I got nothin'"

### Examples

```
wiki_didyouknow(n_facts = 2, date = '2020-05-02')
```

wiki\_inthenews

*Generate news items from the Wikipedia main page on a specified date.*

### Description

‘wiki\_inthenews()’ generates news items from the Wikipedia main page on a specified date.

### Usage

```
wiki_inthenews(
  n_facts = 1L,
  date = sample(seq(as.Date("2015-01-01"), Sys.Date() - 1, by = "day"), 1),
  bare_fact = FALSE
)
```

### Arguments

n_facts	An integer determining the number of facts that will be generated, up to a limit of the maximum facts for the date specified.
date	A date string of the form YYYY-MM-DD. Default value is a random date since 1 January 2015.
bare_fact	Logical. Determining whether the fact should be quoted as is or surrounded by a preamble and courtesy statement.

### Value

A vector of strings with random 'in the news' items from Wikipedia's main page, if it exists for the date specified - otherwise "I got nothin'"

## Examples

```
wiki_inthenews(n_facts = 1, date = '2020-05-02')
```

`wiki_onthisday`

*Generate 'on this day' facts from the Wikipedia main page on a specified date.*

## Description

`'wiki_onthisday()'` generates 'on this day' facts from the Wikipedia main page on a specified date.

## Usage

```
wiki_onthisday(
  n_facts = 1L,
  date = sample(seq(as.Date("2015-01-01"), Sys.Date() - 1, by = "day"), 1),
  bare_fact = FALSE
)
```

## Arguments

<code>n_facts</code>	An integer determining the number of facts that will be generated, up to a limit of the maximum facts for the date specified.
<code>date</code>	A date string of the form YYYY-MM-DD. Default value is a random date since 1 January 2015.
<code>bare_fact</code>	Logical. Determining whether the fact should be quoted as is or surrounded by a preamble and courtesy statement.

## Value

A vector of strings with random 'on this day' facts from Wikipedia's main page if it exists for the date specified - otherwise "I got nothin'"

## Examples

```
wiki_onthisday(date = '2020-05-02')
```

---

**wiki\_query***Send queries to Wikidata and receive results as dataframe*

---

**Description**

‘wiki\_query()‘ sends a SPARQL query to Wikidata and collects the results in a dataframe

**Usage**

```
wiki_query(qry)
```

**Arguments**

qry                    A character string representing a SPARQL query to be sent to Wikidata

**Value**

A dataframe of results

**Examples**

```
# List five diseases
query <- 'SELECT ?itemLabel WHERE {
  ?item wdt:P31 wd:Q12136. #instance of disease
  SERVICE wikibase:label { bd:serviceParam wikibase:language "[AUTO_LANGUAGE],en". }
}
LIMIT 5'
wiki_query(query)
```

---

**wiki\_randomfact***Generate random facts from historic Wikipedia main pages*

---

**Description**

‘wiki\_randomfact()‘ generates random facts from Wikipedia main pages after 1 January 2015.

**Usage**

```
wiki_randomfact(
  n_facts = 1L,
  fact = c("any", "didyouknow", "onthisday", "inthenews"),
  bare_fact = FALSE,
  repeats = TRUE
)
```

**Arguments**

<code>n_facts</code>	An integer determining the number of facts that will be generated.
<code>fact</code>	String to determine the type of fact to be randomly generated - "any" will generate a random selection.
<code>bare_fact</code>	Logical. Determining whether the fact should be quoted as is or surrounded by a preamble and courtesy statement.
<code>repeats</code>	Logical. Determining if repeat facts should be permitted. If FALSE the number of facts may be less than requested.

**Value**

A vector of strings with random items from Wikipedia's main page - otherwise "I got nothin'"

**Examples**

```
wiki_randomfact()
```

---

`wiki_search`

*Display results of a Wikipedia search in the browser*

---

**Description**

`'wiki_search()'` displays the results of a Wikipedia search in the browser.

**Usage**

```
wiki_search(term = NULL, browser =getOption("browser"))
```

**Arguments**

<code>term</code>	A non-empty character string giving the name of the term to be searched
<code>browser</code>	A non-empty character string passed to [browseURL()] to determine the browser used.

**Value**

A display of the results of the search in the browser.

**Examples**

```
wiki_search('R (programming language)')
```

# Index

[wiki\\_define, 2](#)  
[wiki\\_didyouknow, 2](#)  
[wiki\\_inthenews, 3](#)  
[wiki\\_onthisday, 4](#)  
[wiki\\_query, 5](#)  
[wiki\\_randomfact, 5](#)  
[wiki\\_search, 6](#)